




4G LTE Mobile Wi-Fi

Go Anywhere
Connect Everywhere

M7300



4G 4G LTE
150Mbps

 Dual Band
Wi-Fi Hotspot

 tpMiFi
App

Highlights

Share 4G LTE Connection on the Go

The M7300 features a compact, elegant design very suitable for travel, business trips, outdoor activities or wherever you may be.



Easy Management with the tpMiFi App

With the tpMiFi App, you can easily access and manage the M7300 from your connected iOS/Android devices. The tpMiFi app allows you to establish data limits, control which devices can access your Wi-Fi, send messages, and share media files to/from a removable Micro SD card.



Features




Lightning 4G LTE

- Lightning generation 4G LTE – Supports 4G LTE network, compatible with 3G/2G network
- The Faster Connections – reaches up to 150Mbps download speed and 50Mbps upload one, to enjoy HD movies without interruption, download files in seconds, and hold a video chat without dropouts



Dual Band Wi-Fi

- Dual Band Wi-Fi– Selectable 2.4GHz or 5GHz dual band Wi-Fi, achieves better network connectivity when you are in network interference
- High-Speed Hotspots– Shares 2.4GHz at speed at 150Mbps or 5GHz at speed of 433Mbps



8 Hours Usage


- 2000mAh – 2000mAh rechargeable battery capacity
- 8 hours – 8 hours of 4G sharing
- 480 hours – 480 hours of standby
- * Actual battery time may vary due to different user environments

Features



Easy Using

- One-Key Setup – To create a hotspot, just insert a SIM card and press the power button.
- 10 devices – Supports up to 10 devices simultaneously to share 4G/3G/2G network
- Compact design – Suitable for travel, business trips, outdoor activities or wherever you may be



Storage Wireless Sharing

- Storage Sharing – Easily share photos, music, videos and more wirelessly across your network
- Up to 32GB – Equipped with a micro SD card slot for up to 32GB of optional storage

Specifications

Hardware

- Interface : 1 micro USB port, 1 SIM card slot, 1 Micro SD card slot
- Button: Power Button, Reset Button
- LED: Wi-Fi LED, Internet LED, Battery LED
- External Power Supply: 5V/1A
- Dimensions (W x D x H): 4.04 × 2.48 × 0.65 in. (102.6 × 63.0 × 16.5mm)
- Antenna: Internal Antennas

Wireless

- Network Type:
 - 4G: FDD-LTE: B1/B3/B7/B8/B20 (2100/1800/2600/900/800MHz)
 - TDD-LTE: B38/B40/B41 (2600/2300/2500MHz)
 - 3G: DC-HSPA+/HSPA/UMTS: B1/B8(2100/900MHz)
 - 2G: EDGE/GPRS/GSM:850/900/1800/1900MHz
- Wireless Standards: IEEE 802.11n/a/ac 5GHz, IEEE 802.11b/g/n 2.4GHz
- Frequency: 5GHz and 2.4GHz
- Signal Rate: Selectable dual band, 150Mbps at 2.4GHz or 433Mbps at 5GHz
- Transmit Power: <20dBm(2.4GHz & 5GHz)
- Reception Sensitivity: 5GHz: 11a 54Mbps: -75dBm;
 - 11n HT20 MCS7: -71.5dBm;
 - 11n HT40 MCS7: -69.5dBm;
 - 11ac VHT80 MCS9:-60dBm;2.4GHz: 11b 11Mbps: -87.5dBm;
 - 11g 54Mbps: -74dBm;
 - 11n HT20 MCS7: -70dBm;
 - 11n HT40 MCS7: -68dBm;
- Wireless Security: Support WPA-PSK/WPA2-PSK,Wireless MAC Filtering, Enable/Disable SSID Broadcast
- DHCP: Server, Client, DHCP Client List

Specifications

Others

- Certification: CE, RoHS
- System Requirements:
Windows 10/8/7/vista/XP, Mac OS, Android, iOS, Windows Phone
- Environment
Operating Temperature: 0°C~35°C (32°F ~95°F)
Storage Temperature: -20°C~60°C (4°F ~140°F)
Operating Humidity: 10%~90% non-condensing
Storage Humidity: 5%~90% non-condensing
- Package Contents
Mobile Wi-Fi M7300
Micro USB Cable
Micro and Nano to Standard SIM Card Adapter
Quick Installation Guide
2000mAh Battery



For more information, please visit
<http://www.tp-link.com/en/products/details/M7300.html>